

TOTAL IMPEX

Devlila Apts., Shop No. 8, Fatema Nagar, Pune 411013 Tel.: +91-20-56613638 • Fax: +91 -20-26812777 • E-mail: sales@hanfas.com www.hanfas.com

Product Catalogue

Sliding Door Fittings

- Bottom Roller & Guide
- PVC 'U' Profile
- Handle

Cabinate Fittings

• Auto Drop

Tobosi Fittings

- Tru-Fit
- Perma Fit
- Slip & Lock
- Push Fit

Work Station Partitions Fittings

- Tile Fittings (Wooden Frame)
- Tile Fittings (Metal Frame)
- Trim Fittings (Wooden)

Legs for Cabinet & Tables etc.

- Knock-Fit Plinth Leveler (KFPL)
- Skirting Clip for KFPL (Wooden Skirting)
- Revolutionary Aluminium Skirting
- Skirting Clip For Allu Skirting
- 3 in 1 Corner
- Height Adjuster Clip
- Dual Runner Skirting Clip
- Sheet Metal Carcase Leveler
- Plinth Adjustment Leg (PAL)
- Skirting Clip (PAL)
- Panel Shoe
- Square Buffer
- Square Buffer (Small)

Kitchen Accessories

- Over-Head Cabinet Bracket
- 3 'D' Cabinet Bracket
- Connectors
- Ribbed Insert
- Basket Holder
- Glass Clip
- Shelf Support
- P.V.C. Caps

Other Accessories

- Wire Manager
- Telescopic Door Silencer
- Leveller Bolts

Tools

- Trimmer
- 3 D 'C' Clamp

TOTAL IMPEX






ROLLER & GUIDE

Specially used for Sliding Shutters in Office Cabinet, Computer Work Stations, Wardrobe, Partition Doors, Bathroom Doors etc.
Removable shutter for ease of assembling,

dismantling after periodical cleaning.

• For wood thickness from 12 mm onwards and load capacity 20 Kgs. Per shutter.



Installation Diagram

Installation Diagram

Use hinge sinker router bit of 35 mm dia. boring for depth up to 10 mm. Same drilling patterns for roller & guide. Bored holes acts as magazining aid for the bottom roller.

Boring Pattern

Boring pattern for 18 mm Shutter. Difference between shutter length and cabinet IN (and) IN should be 6.0 mm only.

roduct Information:

Product Code: 110.001 TO 110.006


Color: WHITE/BROWN


Finish: NYLON

Packaging :1 SET = 1 TOP+1 BOTTOM {1 pouch=4 set}, 50 POUCH = 1 BOX

TOTAL IMPEX







PVC U - TRACK

Installation Diagram

- Helps in guiding the roller smoothly and efficiently
- Noise free operation
- Same groove dimensions for top & bottom PVC
- U-Profile
- Grooving width: 6.80 7.00 mm
- Grooving depth: 10 mm

Product Information:

Product Code: <u>110.100</u>

Color: WHITE / OTHER COLOURS SUBJECT TO QUANTITY

Finish: P.V.C


Packaging : (1 STRIP = 1.5 METERS) 1 POUCH = 15 METERS, 225 METERS = 1 BUNDLE

TOTAL IMPEX





HANDLES



• Each shutter 2 Handles

• Boring with 35 mm fastener drill bit (Hinge sinker) 10 mm deep.

• Insert the round disk first and press fit the handle

Product Information:

Product Code: <u>110.150 TO 110.170</u>

Color: WHITE / BROWN / BLACK

Finish: ABS

Packaging : 1 RING + 1 BASE, 1 PACKET=10 Nos, 20 PACKET=1 BOX


TOTAL IMPEX

Devlila Apts., Shop No. 8, Fatema Nagar, Pune 411013 • Tel.: +91 -20-56613638 • Fax: +91 -20-26812777 E-mail: sales@hanfas.com • www.hanfas.com

Installation Diagram







Installation Diagram

AUTO DROP

Intelligently devised, it eliminates use of traditionally used tower-bolts in wardrobes and other cabinates.

Product Information:

Product Code: <u>110.100</u>

Color: WHITE.

Finish: ENGG. POLYMER

Packaging : 1 PACKET=100 Nos. 1 BOX = 10 PACKETS.


TOTAL IMPEX





TRU-FIT

Ideal knockdown fitting for simple right angle panel assembly, mechanical tightening ensures a strong joint. The Tru-Fit fitting compromise male/female lock, which are screw mounted to the base/ side panel respectively. Wherein screw location for the male component is assisted by the integral dowels and finally held securely together by the fastener and net insert. The extensive interlocking areas have the screw-mounted component and built-in dowels ensure exceptional rigidity. This fitting is ideal for particleboard since no drilling or boring is required as in the case of mini-fix, thus zeroing on the exposed surface on the bored area in the humid atmosphere. Tru-Fit is suitable for self assemble furniture also for assembling kitchen cabinet, wardrobe, work station and general furniture in knock-down category.




Installation Diagram

Product Information:
Product Code: <u>330.001 TO 330.010</u>
Color: WHITE/ BLACK / BROWN
Finish: NYLON
Packaging : 50 Nos = 1 PACKET, 4 PACKET =1 BOX

TOTAL IMPEX







PERMA-FIT

Installation Diagram

• A well-proven design, these screw-mounted fittings enables accurate right-angled assembly of two adjacent panels.

• The facia lid hides screws which may rust in due course. Most suitable for small furniture cupboards specially drawers, vertical partitions etc.

Product Information:

Product Code: <u>330.100 TO 330.110</u>

Color: WHITE/ BLACK

Finish: DELRIN

Packaging : 100 Nos = 1 PACKET, 5 PACKET = 1 BOX

TOTAL IMPEX





SLIP & LOCK

SLIP & LOCK

Installation Diagram

- Easy to assemble and disassemble by sheer knocking action.
- Does not require professional expertise,
- specialized machinery or tooling.
- Ideal for manufacturing modular partitions & wall cladding.
- Latest in the range of modular partition fittings.
- It prevents lateral movement of the work

pieces.

Product Information:

Product Code: <u>330.200 TO 330.210</u>

Color: WHITE/ BLACK


Finish: DELRIN

Packaging : 50 Nos = 1 PACKET, 4 PACKET = 1 BOX

TOTAL IMPEX







PUSH-FIT

Installation Diagram

• These TOBOSI FTIITNGS are designed so that the panel element locks into the frame element as it is pushed into one another.

• The strong clamping effect holds even heavy panels securely, yet they can be quickly released again without special tools.

Product Information:

Product Code: <u>330.300 TO 330.310</u>

Color: WHITE/ BLACK

Finish: DELRIN

Packaging : 50 Nos = 1 PACKET, 4 PACKET = 1 BOX

TOTAL IMPEX





TILE FITTINGS (WOODEN FRAME)

KD Snap fittings to fix softboard or pre-lam board panels / tiles in double-walled standalone / workstation partitions.Innovation in design rules out screws used to fit this assembly, thereby cutting on commissioning time and labour costs. Different versions for wooden or metal frame and wooden trim are available.





Product Information:

Product Code: <u>330.400 TO 330.500</u>

Color: BLACK

Finish: ENGG. POLYMER

Packaging : 1 PACKET = 100 NOS. , 1 BOX = 10 PACKETS.

TOTAL IMPEX





TILE FITTING (METAL FRAME)

KD Snap fittings to fix softboard or pre-lam board panels / tiles in double-walled standalone / workstation partitions.Innovation in design rules out screws used to fit this assembly, thereby cutting on commissioning time and labour costs. Different versions for wooden or metal frame and wooden trim are available..



Product Information:

Product Code: <u>330.400 TO 330.500</u>


Color: BLACK

Finish: ENGG. POLYMER

Packaging : 1 PACKET = 100 NOS. , 1 BOX = 10 PACKETS.

TOTAL IMPEX





TRIM FITTINGS (WOODEN)

KD Snap fittings to fix wooden trim.

Innovation in design rules out screws used to fit this assembly, thereby cutting on commissioning time and labour costs.

Product Information:

Product Code: <u>330.400 TO 330.500</u>

Color: BLACK

Finish: ENGG. POLYMER

Packaging : 1 PACKET = 100 NOS. , 1 BOX = 10 PACKETS.

TOTAL IMPEX






KNOCK FIT PLINTH LEVELLERS

- User friendly systems 32
- Carcases re-opening made simpler by either of the two **Eye Hole**
- access to the minifix
- 18 mm pre-lam skirting can be used all over.
- Product made from engineering polymer.
- Leveler component can be adjusted by extra long screwdriver.
- Pre-drilling on base panel made very simple & uniform from all the edges.
- Designed for pest free use.

Eye Hole

- Dismantling of carcases poses a problem.
- Damage is either inflicted on the base-panel or the
- mounting block whilst exposing the mini-fix

• This hurdle has been resolved by just drilling on the eye hole and accessing the mini-fix without attempting to dislocate the mounting block from the base-panel.



Installation Diagram



Available in 3 sizes 75 mm, 100 mm, 150 mm and 200 mm.

TOTAL IMPEX



Product Information:

Product Code: 220.001 TO 220.230


Color: BLACK

Finish: PC ABS

Packaging : FULL SETS - 200 Nos = 1 BOX

TOTAL IMPEX





SKIRTING CLIP FOR KFPL

- Skirting Clip used for knock Fit Plinth Adjuster to install wooden skirting, with base plate.
- Skirting Clip used for KFPL to install Alluminium Skirtings.

Product Code: <u>220.430 TO 220.500</u>

Color: BLACK


Finish: ENGG. POLYMER

Product Information:

Packaging : 100 Nos = 1 PACKET, 5 PACKETS = 1 BOX.

TOTAL IMPEX







SKIRTING CLIP FOR ALUMINIUM SKIRTING

Product Information:

Product Code: <u>220.460</u>

Color: BLACK

Finish: NYLON

Packaging: 1 PACKET = 100 Nos, 1 BOX = 10 PACKETS.

TOTAL IMPEX





3 IN 1 CORNER

A single component flexible connector for aluminium skirting used as straight, inner, outer and contours of various degree of bends in the kitchen layout.





Product Information:

Product Code: <u>220.360 TO 220.370</u>

Color: GREY / OTHER COLOURS SUBJECT TO QUANTITY

Finish: ENGG. POLYMER

Packaging: 1 PACKET = 100 Nos, 1 BOX = 10 PACKETS.

TOTAL IMPEX







HEIGHT ADJUSTER CLIP

This fitting anchors itself to the mounting block of KFPL and slides in downward direction only till the Aluminium skirting is flushed to the flooring.

Product Information:

Product Code: 220.520 TO 220.530

Color: BLACK / WHITE / TRANSPARENT

Finish: ENGG. POLYMER

Packaging: 100 Nos=1 PACKET , 5 PACKET= 1 BOX

TOTAL IMPEX







DUAL RUNNER SKIRTING CLIP

• This clip facilitates mounting of drawer runners on either side of the KFPL 6" (150 mm) legs. Two small drawers can be designed by using only six legs instead of eight, thereby reducing cost of additional legs and providing extra space.

• Meta box of only size 85mm can be used, or all wood as per requirement.

• By virtue of key-way design the D.R.S.C. doesn't rotate and gets locked, ensuring stable movement of the bottom drawers.

Product Information:

Product Code: 220.540

Color: BLACK

Finish: ENGG. POLYMER.

Packaging : 100 Nos=1 PACKET , 5 PACKET = 1 BOX

TOTAL IMPEX





SHEET METAL CARCASE LEVELLER

• Besides riveting at the four corners , a brass insert of M10 provides strong joint to the base.

• Available in 3 sizes, 3", 4" and 6" (75 mm, 100 mm 150 mm) and ,along with the skirting clip for Aluminium skirting and dual runner skirting clip for bottom drawers.

• Suitable for Aluminium Skirting.

Product Information:

Product Code: 220.600 TO 220.690

Color: BLACK

Finish: ENGG. POLYMER

Packaging : 200 Nos = 1 BOX

TOTAL IMPEX





PLINTH ADJUSTMENT LEGS

- Widely used for all furnitures.
- Available with skirting clip and in 75 mm and 100 mm sizes.

Product Information:

Product Code: 220.700 TO 220.710

Color: BLACK

Finish: ENGG. POLYMER

Packaging: 250 Nos = 1 BOX

TOTAL IMPEX





SKIRTING CLIP (PAL)

• For plinth adjustment legs

Product Information: Product Code: <u>220.510</u>

Color: BLACK


Finish: ENGG. POLYMER

Packaging: 100 Nos. = 1 PACKET, 5 PACKETS = 1 BOX

TOTAL IMPEX







PANEL SHOE

Installation Diagram

• A novel design of foot-mount to protect panel with plinth adjustment as added feature.


- Suitable for 18 mm pre-lam panels.
- Use 15 mm dia. frostner drill.

• Also available leveler bolts 20 mm and 60 mm separately.

Product Information:
Product Code: <u>220.720 and 220.750 TO 220.760</u>
Color: BLACK
Finish: ENGG. POLYMER
Packaging: 500 Nos =1 BOX

TOTAL IMPEX





SQUARE BUFFER


• Widely used as foot-mounts for tables of 18mm pre-lam boards.

Product Information:Product Code: 220.740Color: BLACKFinish: ENGG. POLYMER

Packaging: 500 Nos =1 BOX

TOTAL IMPEX





SQUARE BUFFER (SMALL)

Square Buffer (Small) is widely used for Elevating wardrobes & Computer Tables.

Product Information:

Product Code: 220.730 TO 220.740

Color: BLACK / OTHER COLOURS SUBJECT TO QUANTITY


Finish: PP

Packaging: 1 PACKET = 100 Nos, 1 BOX = 10 PACKETS.

TOTAL IMPEX







OVER HEAD CABINET BRACKET

• A heavy duty bracket designed for modular over head carcases for kitchen and storage units.

• It facilitates 2-D adjustments up to (+/-) 8 mm.

Product Information:
Product Code: <u>440.001</u>
Color: METAL / WHITE
Finish: METAL & PLASTIC
Packaging: 50 Nos.= 1 PACKET, 10 PACKETS = 1 BOX

TOTAL IMPEX






3 'D' CABINET BRACKET

Loading capacity is 55 Kg/Pc
3-D adjustment of Cabinets
Z-axis Depth upto 15 mm
X-axis Lateral upto 25 mm
Y-axis Height upto 19 mm

'Z' PLATE

'Z' Plate is used for wall mounting purpose.



Product Information:

Product Code: <u>440.010 TO 440.020</u>


Color: WHITE, METAL

Finish: ENGG. POLYMER & METAL

Packaging: 1 PACKET = 100 Nos., 1 BOX = 10 PACKETS.

TOTAL IMPEX









CONNECTORS

M-4 Thread Connectors for 5mm (Dia) Hole. They are used for panel thickness range from 29 mm to 39 mm. 100% rust proof quality.

Product Information:

Product Code: <u>440.090</u>

Color: METAL


Finish: METAL

Packaging: 1 PACKET = 100 Nos., 1 BOX = 10 PACKETS.

TOTAL IMPEX







RIBBED INSERTS

Installation Diagram

• Hammer in ribbed inserts duly dipped in liquefied white glue in predrilled holes, of 8 mm dia by 10 mm deep.

• Conventional brass/Aluminum butt hinges can now be used on Pre-Lam.

• Also eases mounting of back panels straight on cabinet edges.

Product Information:

Product Code: 440.200

Color: BLACK / OPEN

Finish: ENGG. POLYMER

Packaging: 100 Nos.= 1 PACKET, 50 PACKETS = 1 BOX.

TOTAL IMPEX





BASKET HOLDER



The Basket Holder is used to attach & align drawer facia over wire baskets.

Product Information:

Product Code: <u>440.210</u>

Color: WHITE


Finish: PP

Packaging: 1 PACKET = 100 Nos., 1 BOX = 10 PACKETS.

TOTAL IMPEX







GLASS CLIPS

• Used for the glass shutters in cabinets

Product Information:

Product Code: <u>440.300</u>

Color: TRANSPARENT

Finish: POLYCARBONATE

Packaging: 100 Nos.= 1 PACKET, 50 PACKET = 1 BOX.

TOTAL IMPEX





SHELF SUPPORT

- For adjustable shelves.
- Moulded from tough engineering plastic to withstand static load of 25 kgs/module.
- Use 4.9 mm dia.
- Drill-bit.

Product Information:

Product Code: 440.400

Color: WHITE / TRANSPARENT

Finish: ENGG. POLYMER

Packaging: 100 Nos.= 1 PACKET, 50 PACKETS = 1 BOX

TOTAL IMPEX



P.V.C. CAPS

• Filler for unused pre-drilled holes in systems - 32 of dia. 5 mm

CONFRIMATE CAP

Cover caps for confrimate screw

Product Information:Product Code: 440.700 to 440.750Color: OPENFinish: PVCPackaging: 200 Nos.= 1 PACKET, 1 BOX = 50 PACKETS

TOTAL IMPEX





WIRE/CABLE MANAGER

(60 mm & 80 mm dia. size)

• Helps in neat arrangement of wires on worktops. 80 mm also available for 38 mm desktops.

Product Information:

Product Code: <u>440.500 to 440.550</u>

Color: BLACK / WHITE

Finish: ABS

Packaging: 100 Nos. = 1 BOX

TOTAL IMPEX





TELESCOPIC DOOR SILENCER

- Specially DESIGNED for use as door buffers.
- Adjustable from 50 mm to 75 mm.

Product Information:

Product Code: <u>440.600</u>

Color: BLACK / WHITE

Finish: ABS

Packaging: 100 Nos.= 1 PACKET

TOTAL IMPEX





LEVELLER BOLTS

These are available in 2 different varieties. M8 & M10. Leveller M8 BOLT is available in 20 mm Dia and Leveller M10 BOLT is available in 60 mm Dia

Product Information: Product Code: <u>220.750 TO 220.760</u>

Color: BLACK

Finish: ENGG. POLYMER & METAL

Packaging: 1 PACKET = 100 Nos, 1 BOX = 20 PACKETS.

TOTAL IMPEX





TRIMMER

Trims both sides of the board upto 40 mm thickness. For wider edges, it can be used as two independent one side trimmer.

Product Information:

Product Code: 550.001 TO 550.010

Color: OPEN

Finish: ENG. POLYMER & METAL

Packaging: 1 BOX = 100 PCS

TOTAL IMPEX





3 D 'C' CLAMP

3 D 'C' Clamp is a Tool used to apply pressure on the edges of a table top

Product Information:

Product Code: <u>550.100</u>

Color: BLACK

Finish: ENGG. POLYMER & METAL

Packaging: 1 PACKET = 100 Nos., 1 BOX = 5 PACKETS.

TOTAL IMPEX